

Product data sheet

Item No. R:6587218876

Cross connector, insulated for DIN rail terminal blocks type WKF...,  
4 -pole



Item No.	R:6587218876
EAN	
Order Unit	Piece(s)

Certificates / Approvals

Technical data

**General**

Type	Cross connector
Modular spacing	5 mm
Number of bridged clamps	4
Mounting method	Pluggable
Insulated	Yes

**Accessories**

Type	Cross connector
Mounting method	Pluggable
Insulated	Yes
Number of bridged clamps	4
Modular spacing	5 mm

Technical drawing

### 10-polige Ausführung 10 poles variant

PA 66  
UL 94 V-2

Teile-Nr. part nr.	Pol- zahl poles	L-0,2	l±0,05	Typ type
Z7.280.62MM.0	2			IVBWK 2.5 - 2
Z7.280.63MM.0	3	14.8	10	IVBWK 2.5 - 3
Z7.280.64MM.0	4	19.8	15	IVBWK 2.5 - 4
Z7.280.65MM.0	5	24.8	20	IVBWK 2.5 - 5
Z7.280.66MM.0	6	29.8	25	IVBWK 2.5 - 6
Z7.280.67MM.0	7	34.8	30	IVBWK 2.5 - 7
Z7.280.68MM.0	8	39.8	35	IVBWK 2.5 - 8
Z7.280.69MM.0	9	44.8	40	IVBWK 2.5 - 9
Z7.280.70MM.0	10	49.8	45	IVBWK 2.5 - 10
Z7.280.71MM.0	11	54.8	50	IVBWK 2.5 - 11
Z7.280.72MM.0	12	59.8	55	IVBWK 2.5 - 12
Z7.280.73MM.0	13	64.8	60	IVBWK 2.5 - 13
Z7.280.74MM.0	14	69.8	65	IVBWK 2.5 - 14
Z7.280.75MM.0	15	74.8	70	IVBWK 2.5 - 15
Z7.280.76MM.0	16	79.8	75	IVBWK 2.5 - 16
Z7.280.77MM.0	17	84.8	80	IVBWK 2.5 - 17
Z7.280.78MM.0	18	89.8	85	IVBWK 2.5 - 18
Z7.280.79MM.0	19	94.8	90	IVBWK 2.5 - 19
Z7.280.80MM.0	20	99.8	95	IVBWK 2.5 - 20

**Weitere Daten siehe Katalog**  
further data see catalog

MM	
27	Katalogteil catalogue part
97	spezielle Verpackung special packing

Tolerierung Size ISO 14405/Tolerance system Size ISO 14405  
{This ISO-standard describes the envelope principle. According to the envelope principle the deviations of form and parallelism are limited by the size tolerances}.

ja/yes  Stoffverbots- und Deklarationstabelle nach DIN 5020.010 ist einzuhalten.  
Conformity with Wieland document WN 5020.010 e (list of prohibited / declarable hazardous substances) to be declared!

Freitoleranz nach General tolerance CAD - Zeichnung, keine manuellen Änderungen CAD - drawing, no manual modifications allowed 1.Verwendung: First Use: Blatt: 1 von 1 Sheet: 1 of 1

		Werkstoff/Material	2001	Tag/Date	Name	Zeichnung Nr./Drawing No.		Index	
			gezeichnet drawn	04.07.	TRESCHAN	Z7.280.6227.0 01K		b	
			geprüft checked	-	-				
			Normgepr. Stand. check	-	-	Maße in mm/Dimensions are in mm			
		Vol.	mm <sup>3</sup>	Ofl./Surf.	mm <sup>2</sup>	Ersatz für/Replacement for:			
b	15.12.2015/			Type	Benennung/Title				
a	26.07.2005/	<b>wieland</b>		Typ	<b>VERBINDUNGSSTECKER</b>				
Index	Datum / Blatt Date / Sheet	www.wieland-electric.com		IVB WK 2,5 - ..	insulated jumper bar				
Änderung/Revision									

