

Product data sheet

Item No. R:6587218951

Cross connector, insulated for DIN rail terminal blocks type WKN ..., 2 -pole



Item No.	R:6587218951
EAN	
Order Unit	Piece(s)

Certificates / Approvals

Technical data


General

Type	Cross connector
Modular spacing	10 mm
Number of bridged clamps	2
Mounting method	Screwable
Insulated	Yes

Accessories

Type	Cross connector
Mounting method	Screwable
Insulated	Yes
Number of bridged clamps	2
Modular spacing	10 mm

Technical drawing



Alle Maße werden bei Abnahme besonders geprüft
Aussehen
Mit Zerkleinerungsmöglichkeit sind nur für eine Zweckart

Teile-Nr. part nr.	Pol- zahl poles	L	l	Typ type
Z7.283.22MM.0	2	17,2	10	IVB WKN 10-2
Z7.283.23MM.0	3	27,2	20	IVB WKN 10-3
Z7.283.24MM.0	4	37,2	30	IVB WKN 10-4
Z7.283.25MM.0	5	47,2	40	IVB WKN 10-5
Z7.283.26MM.0	6	57,2	50	IVB WKN 10-6
Z7.283.27MM.0	7	67,2	60	IVB WKN 10-7
Z7.283.28MM.0	8	77,2	70	IVB WKN 10-8
Z7.283.29MM.0	9	87,2	80	IVB WKN 10-9
Z7.283.30MM.0	10	97,2	90	IVB WKN 10-10
Z7.283.31MM.0	11	107,2	100	IVB WKN 10-11
Z7.283.32MM.0	12	117,2	110	IVB WKN 10-12

MM	
27	Katalogteil catalogue part
97	spezielle Verpackung special packing

Freitoleranz nach DIN

CAD - Zeichnung, keine manuellen Änderungen

1. Verwendung: -

Bl.: 1 von 1

2002	Tag	Name	Zeichnung Nr. Z7.283.2227.0 01K	Index
Entworfen	06.03.	Treschan		
Gepf. /				
Normgepr. /			Ersatz für:	

wieland
Elektrische Verbindungen

Typ: IVB WKN 10-...

Benennung: VERBINDUNGSSTEG jumper bar

Änderung

A
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
M1
M2
M3
L
G
i
1.1
2.1
1.1
7283227001 CAD028 treschan 07.05.2002 13:24:30 1:00

