

Product data sheet

Item No. R:6587218996

Cross connector, insulated for DIN rail terminal blocks type WKN ..., 2 -pole



Item No.	R:6587218996
EAN	
Order Unit	Piece(s)

Certificates / Approvals

Technical data


General

Type	Cross connector
Modular spacing	15.95 mm
Number of bridged clamps	2
Mounting method	Screwable
Insulated	Yes

Accessories

Type	Cross connector
Mounting method	Screwable
Insulated	Yes
Number of bridged clamps	2
Modular spacing	15.95 mm

Technical drawing



Teile-Nr. part nr.	Pol- zahl poles	L	l	Typ type
Z7.284.20MM.0	30	355,55	346,55	IVB WKN 16 M-30
Z7.284.22MM.0	2	20,95	11,95	IVB WKN 16-2
Z7.284.23MM.0	3	32,9	23,9	IVB WKN 16-3
Z7.284.24MM.0	4	44,85	35,85	IVB WKN 16-4
Z7.284.25MM.0	5	56,8	47,8	IVB WKN 16-5
Z7.284.26MM.0	6	68,75	59,75	IVB WKN 16-6
Z7.284.27MM.0	7	80,7	71,7	IVB WKN 16-7
Z7.284.28MM.0	8	92,65	83,65	IVB WKN 16-8
Z7.284.29MM.0	9	104,6	95,6	IVB WKN 16-9
Z7.284.30MM.0	10	116,55	107,55	IVB WKN 16-10
Z7.284.31MM.0	11	128,5	119,5	IVB WKN 16-11
Z7.284.32MM.0	12	140,45	131,45	IVB WKN 16-12

MM	
27	Katalogteil catalogue part
97	spezielle Verpackung special packing

Freitoleranz nach DIN		CAD - Zeichnung, keine manuellen Änderungen		I. Verwendung: -		Bl.: 1 von 1	
Maßstab		2002 Tag Name		Zeichnung Nr.		Index	
x		Entworfen 06.03. Treschan		T Z7.284.2027.0 01K		a	
		Geprüft - -		Ersatz für: -			
		Normgepr. - -					
a 03.11.2003/		Typ IVB		Benennung VERBINDUNGSSTEG			
Buchstabe Datum / Blatt		Elektrische Verbindungen		jumper bar			
Änderung		WKN 16-x					

A
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
M1
M2
M3
L
G
i
11.1
12.1
1.1

Z72842027001K_4 CADW20 Bauer 03.11.2003 12:36:02 1.000

