

Product data sheet

Item No. R:6587218917

Cross connector, insulated for DIN rail terminal blocks type WKN ..., 12 -pole



Item No.	R:6587218917
EAN	
Order Unit	Piece(s)

Certificates / Approvals

Technical data


**General**

Type	Cross connector
Modular spacing	15.95 mm
Number of bridged clamps	12
Mounting method	Screwable
Insulated	Yes

**Accessories**

Type	Cross connector
Mounting method	Screwable
Insulated	Yes
Number of bridged clamps	12
Modular spacing	15.95 mm

Technical drawing



○ Diese Maße werden bei Abnahme, besonders geprüft  
 □ Ausschließlich Prüfmaß  
 (Mit Ziffern in Klammern sind nur für interne Zwecke gültig)

Teile-Nr. part nr.	Pol- zahl poles	L	l	Typ type
Z7.285.20MM.0	20	315,05	303,05	IVB WKN 35 M-20
Z7.285.22MM.0	2	27,95	15,95	IVB WKN 35-2
Z7.285.23MM.0	3	43,9	31,9	IVB WKN 35-3
Z7.285.24MM.0	4	59,85	47,85	IVB WKN 35-4
Z7.285.25MM.0	5	75,8	63,8	IVB WKN 35-5
Z7.285.26MM.0	6	91,75	79,75	IVB WKN 35-6
Z7.285.27MM.0	7	107,7	95,7	IVB WKN 35-7
Z7.285.28MM.0	8	123,65	111,65	IVB WKN 35-8
Z7.285.29MM.0	9	139,6	127,6	IVB WKN 35-9
Z7.285.30MM.0	10	155,55	143,55	IVB WKN 35-10
Z7.285.31MM.0	11	171,5	159,5	IVB WKN 35-11
Z7.285.32MM.0	12	187,45	175,45	IVB WKN 35-12

MM	
27	Katalogteil catalogue part
97	spezielle Verpackung special packing

Freitoleranz nach DIN		CAD - Zeichnung, keine manuellen Änderungen		1. Verwendung: -		Bl.: 1 von 1	
/	Maßstab	2002	Tag	Name	Zeichnung Nr.		Index
/	/	Entworfen	06.03.	Treschan	Z7.285.2027.0 01K		
/		Geprüft	-	DAT			
/		Normgepr.	-	-	Ersatz für:		
/		Typ: IVB WKN 35-..		Benennung <b>VERBINDUNGSSTEG</b> jumper bar			
Buchstabe	Datum / Blatt	wieland Elektrische Verbindungen					
Änderung							

A1  
1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
M1  
M2  
M3  
L  
G  
1  
1.1  
2.1  
1.1  
Z72852027001 CAD/M28 Treschan 06.03.2002 14:36:23 1.000

